




BEARING PRECISION AXLE CORP.



R4LLB Bearing 2D drawings and 3D CAD models

6,350 mm x 15,875 mm x 4,978 mm NTN
R4LLB deep groove ball bearings

Bearing No. R4LLB

Size	6.350x15.875x4.978 mm
Bore Diameter	6,350 mm
Outer Diameter	15,875 mm
Width	4,978 mm
d	6,350 mm
D	15,875 mm
B	4,978 mm
C	4,978 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.004
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Inch
Long Description	1/4" Bore; 5/8" Outside



BEARING PRECISION AXLE CORP.

	Diameter; 0.196" Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance
Other Features	Deep Groove Miniature Bearing Non-Friction Nitrile Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Bore	0.25 Inch 6.35 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	0.625 Inch 15.875 Millimeter
Outer Race Width	0.196 Inch 4.978 Millimeter
bore diameter:	0.2500 in
static load capacity:	138 lbf
outside diameter:	0.6250 in
precision rating:	Class 0
overall width:	0.1960 in
finish/coating:	Uncoated
bore type:	Round
bearing material:	High Carbon Chrome
closure type:	Double Sealed
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	0.1960 in
snap ring included:	Without Snap Ring



BEARING PRECISION AXLE CORP.

outer ring width:	0.1960 in
internal clearance:	CN
maximum rpm (grease):	36000 rpm
operating temperature range:	-40 to 250 ° F
fillet radius:	0.0120 in
dynamic load capacity:	335 lbf
manufacturer product page:	Click here